IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

David N. Edwards, et al.

Date Filed:

March 26, 2004

Title:

ADJUSTABLE SENSITIVITY, GENETIC MOLECULAR INTERACTION SYSTEMS,

INCLUDING PROTEIN-PROTEIN INTERACTION SYSTEMS FOR DETECTION AND ANALYSIS

MAIL STOP PATENT APPLICATION Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 I hereby certify that this Information Disclosure Statement is being deposited with the United States Postal Service as Express Mail No. <u>EV352395050US</u> addressed to: Mail Stop Patent Application, Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450, on March 26, 2004.

Jay Howard

Dear Sir:

INFORMATION DISCLOSURE STATEMENT

Applicant respectfully requests, pursuant to 37 C.F.R. §§1.56, 1.97 and 1.98, that the references listed on the attached PTO-1449 form, and previously cited in U.S. Patent Application Serial No. 09/680,738, entitled "Adjustable Sensitivity, Genetic Molecular Interaction Systems, Including Protein-Protein Interaction Systems for Detection and Analysis," filed October 6, 2000, be considered and cited in the examination of the above-identified continuation application. Pursuant to 37 C.F.R. § 1.98(d), copies of the references are not being furnished. Furthermore, pursuant to 37 C.F.R. §§1.97(g) and (h), no representation is made that these references are material to the patentability of the present application.

Applicant believes no fees are due for this Information Disclosure Statement, however, the Commissioner is hereby authorized to charge any fees to Deposit Account No. 50-2148 of Baker Botts L.L.P. in order to effectuate this filing.

Respectfully submitted,

BAKER BOTTS L.L.P. Attorneys for Applicant

Michelle M. LeCointe Reg. No. 46,861

Date: 3/26/04

Correspondence Address:

At Customer No. 31625

Telephone:

512.322.2580

Facsimile:

512.322.8380

	FORM PTO-1449 U.S. DEPARTMENT O Patent and Tra						OF COMMERCE rademark Office	Attorney's Docket Number 068660.0126			Serial Number Unknown					
	IN	IFOF	ORMATION DISCLOSURE ATEMENT BY APPLICANT							Applicant Edwards et al.						
	(Use several sheets if necessary)									Filing Date			Group Unk	known		
	U. S. PATENT DOCUMENTS															
EXAM INIT.	<u> </u>	 	·	PATE	ENT NU	/MBER	-	-	ISSUE DATE	PATENTEE		CLASS	SUBCLASS	FILING D		
		\vdash	+-	_	-	-	 	_	 							
	· -	-	+	-	 	+	+	+				·	-	 		
FOREICN DATENT OF BURLIOUED SOFTION ASSESSED.																
FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION										<u>N</u>						
INIT.		l	D	OCUM	ENT N	UMBEI	R		PUBLICATION DATE	COUNTRY	COUNTRY OR PATENT OFFICE		, SUBCLASS	Transl YES	lation NO	
										+	<u> </u>					
EXAM INIT.			OTHER MATERIALS (Including, Author, Title, Date, Relevant Pages, Place of Publication.**)													
	aa	A)	Ammerer, G.; 1983. Expression of genes in yeast using the ACDI promoter. Methods in Enzymol. 101, 192-201.													
	ab	K	Aronheim, A.; Zandi, E.; Hennemann, H.; Elledge, S. J.; and Karin, M.; 1997. Isolation of an AP-1 Repressor by a Novel Method for Detecting Protein-Protein Interactions. Mol. Cell. Biol. 17, 3094-3102.													
	ac	Ba M	Bai, C.; and Elledge, S. J.; 1997. Gene Identification Using the Yeast Two-Hybrid System. Methods Enzymol. 283, 141-156.													
	ad	Ba In	Baldwin, A. S.; 1996. The NF-κB and IκB Proteins: New Discoveries and Insights. Annu. Rev. Immunol. 14, 649-681.													
	ae	Ba in	Bartel, P.; Chien, C.; Sternglanz, R.; and Fields, S.; 1993. Elimination of False Positives That Arise in Using the Two-Hybrid System. Biotechniques 14, 920-924.													
	af	Be	rridg	e, P.	; Lip	p, P.	.; an	<u> 1 Boc</u>	otman, M.; 199	99. Calci	um signallin	ig. Curr. B	iology 9, R1	157-R1	59.	
	ag	Br	rachm	ann,	R. K	K.; an	nd Bo	oeke,	, J. D.; 1997.							
	ah	pro	Curr. Opin. Biotechnol. 8, 561-568. Bunker, C. A.; and Kingston, R. E.; 1995. Identification of a cDNA for SSRP1, an HMG-box protein, by interaction with the c-Myc oncoprotein in a novel bacterial expression screen. Nucleic Acid Res. 23, 269-276.										P1, an HMC ssion screen	3-box . Nucle	eic	

	T	
EXAM INIT.		OTHER MATERIALS (Including, Author, Title, Date, Relevant Pages, Place of Publication
	ba	Bustos, S. A.; and Schleif, R. F.; 1993. Functional domain of the AraC protein. Proc. Natl. Acad. Sci. 90, 5368-5642.
	bb	Cantwell, B. A.; Brazil, G.; Murphy, N.; and McConnell, D. J.; 1986. Comparison of expression of the endo-β-1,3-1,4-glucanase gene from <i>Bacillus subtilis</i> in <i>Saccharomyces cerevisiae</i> from the CYC1 and ADH1 promoters. Curr. Genetics 11, 65-70.
	bc	Edwards, D. N.; Towb, P.; and Wasserman, S. A.; 1997. An activity-dependent network of interactions links Rel protein Dorsal with its cytoplasmic regulators. Development 124, 3855-3864.
•	bd	Estojak, J.; Brent, R.; and Golemis, E. A.; 1995. Correlation of Two-Hybrid Affinity Data with In Vitro Measurements. Mol. Cell. Biol. 15, 5820-5829.
	be	Fearon, E. R.; Finkel, T.; Gillison, M. L.; Kennedy, S. P.; Casella, J. F.; Tomaselli, G. F.; Morrow, J.S.; and Van Dang, C.; 1992. Karyoplasmic interaction selection strategy: A general strategy to detect protein-protein interactions in mammalian cells. Proc. Natl. Acad. Sci. 89, 7958-7962.
· .	bf	Fields, S.; and Song, O.; 1989. A novel genetic system to detect protein-protein interactions. Nature 340, 245-246.
	bg	Finley, R. L.; and Brent, R.; 1997. Two-hybrid analysis of genetic regulatory networks. In: The Yeast Two-Hybrid System. Ed. Bartel, P. L.; Fields, S.; pp. 197-214, Oxford Univ. Press.
	bh	Gaido, K. W.; Leonard, L. S.; Lovell, S.; Gould, J. C. babai, D.; Portier, C. J.; and McDonell, D. P.; 1997. Evaluation of chemicals with endocrine modulating activity in a yeast based steroid hormone receptor gene transcription assay. Toxic and App. Pharm. 143, 205-212.
	bi	Guarente, L.; 1983. Yeast Promoters and <i>lacZ</i> Fusions Designed to Study Expression of Cloned Genes in Yeast. Methods in Enzymol. 101, 181-191.
	bj	Guarente, L.; and Ptashne, M.; 1981. Fusion of <i>Escherichia coli lacZ</i> to the cytochrome c gene of <i>Saccharomyces cerevisiae</i> . Proc. Natl. Acad. Sci. 78, 2199-2203.
	bk	Guarente, L.; Yocum, R. R.; and Gifford, P.; 1982. A <i>GAL10</i> hybrid yeast promoter identifies the <i>GAL4</i> regulatory region as an upstream site. Proc. Natl. Acad. Sci. 79, 7410-7414.
	bl	Gyuris, J.; Golemis, E.; Chertkov, H; and Brent, R.; 1993. Cdi1, a Human G1 and S Phase Protein Phosphatase That Associates with Cdk2. Cell 75, 791-803.
	bm	Hays, L. B.; Chen, Y-S. A.; and Hu, J. C.; 2000. Two-hybrid screen for characterization of protein-protein interactions in E. coli. Biotechniques, 29, 288-294.
	bn	James, P.; Halladay, J.; and Craig, E. A.; 1996. Genomic Libraries and a Host Strain Designed for Highly Efficient Two-Hybrid Selection in Yeast. Genetics 144, 1425-1436.
	bo	Kliewer, S. A.; Lehmann, J. M.; and Willson, T. M.; 1999. OrphanNuclear Receptors: Shifting Endocrinology into Reverse. Science 284, 757-760.
	bp	Kralli, A.; Bohen, S. P.; and Yamamoto, K. R.; 1995. LEM1, an ATP-binding-cassette transporter, selectively modulates the biological potency of steroid hormones. Proc. Natl. Acad. Sci. 92, 4701-4705.

<u> </u>	T	
EXAM INIT.		OTHER MATERIALS (Including, Author, Title, Date, Relevant Pages, Place of Publication. **)
	ca	Li, J. J.; and Herskowitz, I.; 1993. Isolation of <i>ORC6</i> , a Component of the Yeast Origin Recognition Complex by a One-Hybrid System. Science 262, 1870-1874.
-	cb	Mangelsdorf, D. J.; and Evans, R. M.; 1995. The RXR Heterodimers and Orphan Receptors. Cell 83, 841-850.
	сс	Mangus, D. A.; Amrani, N.; and Jacobson, A.; 1998. Pbp1p, a Factor Interacting with Saccharomyces cerevisiae Poly(A)-Binding Protein, Regulates Polyadenylation. Mol. Cell. Biol. 18, 7383-7396.
	cd	Martinez, A.; Sparks, C.; Drayton, P.; Thompson, J.; Greenland, A.; and Jepson, I.; 1999. Creation of ecdysone receptor chimeras in plants for controlled regulation of gene expression. Mol. Gen. Genet. 261, 546-552.
	се	Mendelsohn, A. R.; and Brent, R.; 1994. Applications of interaction traps/two-hybrid systems to biotechnology research. Curr. Opin. Biotechnol. 5, 482-486.
	cf	Mercurio, F.; and Manning, A. M.; 1999. Multiple signals converging on NF-κB. Curr. Opin. Cell. Biol. 11, 226-232.
	cg	Moghal, N.; and Sternberg, P. W.; 1999. Multiple positive and negative regulators of signaling by the EGF-receptor. Curr. Opin. Cell. Biol. 11, 190-196.
	ch	Phizicky, E. M.; and Fields, S.; 1995. Protein-Protein Interactions: Methods for Detection and Analysis. Microbiological Reviews, Vol. 59k, No. 1, pp. 94-123.
	ci	Picard, D.; Khursheed, B.; Garabedian, M. J.; Fortin, M. G.; Lindquist, S.; and Yamamoto, K. R.; 1990. Reduced levels of hsp90 compromise steroid receptor action <i>in vivo</i> . Nature 348, 166-168.
	cj	Rossi, F. M.V.; and Blau, H. M.; 1998. Recent advances in inducible gene expression systems. Curr. Opin. Biotechnol. 9, 451-456.
	ck	Schena, M.; Picard, D.; and Yamamoto, K. R.; 1991. Vectors for Constitutive and Inducible Gene Expression in Yeast. Methods in Enzymol. 94, 389-398.
-	cl	Schena, M.; and Yamamoto, K. R.; 1988. Mammalian Glucocorticoid Receptor Derivatives Enhance Transcription in Yeast. Science 241, 965-967.
	cm	SenGupta, D. J.; Zhang, B.; Kraemer, B.; Pochart, P.; Fields, S.; and Wickens, M.; 1996. A three-hybrid system to detect RNA-protein interactions in vivo. Proc. Natl. Acad. Sci. 93, 8496-8501.
	cn	Serebriiskii, I.; Khazak, V.; and Golemis E. A.; 1999. A two-hybrid dual system to discriminate specificity of protein interactions. J. Biol. Chem. 274(24), 17080-17087.
	со	Shioda, T.; Andriole, S; Yahata, T.; and Isselbacher, K. J.; 2000. A green fluorescent protein-reporter mammalian two-hybrid system with extrachromosomal maintenance of a prey plasmid: Application to interacting screening. Proc. Natl. Acad. Sci. 97, 5220-5224.
_	ср	Vasavada, H. A.; Ganguly, S.; Germino, F. J.; Wang, Z. X.; and Weissman, S. M.; 1991. A contingent replication assay for the detection of protein-protein interactions in animal cells. Proc. Natl. Acad. Sci. 88, 10686-10690.

EXAM INIT.		OTHER MATERIALS (Including, Author, Title, Date, Relevant Pages, Place of Publication. **)							
da West, R. W., Jr.; Yocum, R. R.; and Ptashne, M.; 1984. Saccharomyces cerevisiae GAL1-Divergent Promoter Region: Location and Function of the Upstream Activating Sequence Mol. Cell. Biol. 4, 2467-2478.									
	Yang, M; Wu, Z.; and Fields, S.; 1995. Protein-peptide interactions analyzed with the yeast tw hybrid system. Nucleic Acid Res. 23, 1152-1156.								
	dc	Young, K. H.; 1998. Yeast Two-Hybrid: So Many Interactions, (in) So Little Time Biology of Reproduction 58, 302-311.							
EXAMINER		DATE CONSIDERED							

EXAMINER: Initial if citation considered, whether or not citation is in conformance and not considered. Include copy of this form with next communication to applicant. **Place of Publication refers to name of publication in which the information was published.

Page 5 of 5

TO-144	19		Application No.	Applicant(s)	oplicant(s)				
	ormation Disclos	uro Citation	Unknown Edwards et al.						
11110	in an Applic		Docket Number	Group Art	Unit Filing I	Date			
	т ит Аррпо		068660.0126	Unknow	Unknown				
			000000000000000000000000000000000000000						
		 	U.S. PATENT DOCUMENTS	3	<u> </u>				
	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILIN	NG DATE		
A.	5925523	7/20/99	Dove et al.	435	6	8/	26/97		
В.	5965368	10/1999	Vidal et al.						
C.									
D.									
E.									
F.			-						
G.									
Н.	·								
1.									
J.									
к.									
L.									
		FO	REIGN PATENT DOCUME	NTS					
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRAN YES	ISLATION NO		
M.	97/31113	8/28/97	WO	C12N	15/12	X			
N.									
0.									
		I	NON-PATENT DOCUMENT	S					
	DOCUMENT (Including Author, Title, Source, and Pertinent Pages)								
P.	International Search Report PCT/US 00/27677								
Q.	Findley et al. (1997) "Two-hybrid of genetic regulatory networks" in The Yeast								
ļ	1 .	•	ds., Oxford Universi						
R.	Schena et al. (199	01) Methods in E	nzymology 194:389-	398					
S.			· 						
KAMINEI	R			DATE CONSIDER	DATE CONSIDERED				